

CHEMISTRY A-Level

Summer Work 2025

Welcome to A-level Chemistry! We hope you will enjoy the challenges offered by this fascinating subject and come to find it a rewarding and worthwhile experience. We follow the OCR-B (Salters) course, which is both academically rigorous and always set in a real-life context so that you can see how the theory is relevant.

The A-Level chemistry course is very demanding and some thorough preparation work is vital. Throughout the course it will be very important that you plan your time effectively to meet deadlines and continue to develop your independent working skills. We therefore want you to attempt three tasks before starting the A-Level chemistry course. These tasks will help you review some important concepts from GCSE that will be encountered again during the first term of A-Level chemistry and help you assess what you have understood. We hope that Task C will introduce an important and recurring theme which will be significant throughout the A-Level course.

You should complete **all** the tasks **A-C**:

- A:** Multiple choice questions on basic concepts
- B:** Balancing chemical equations
- C:** The "Scale of chemistry"

You will need to bring the completed summer work with you for checking on the Year 1 induction day in **September** and it will be used in subsequent lessons. We estimate that the work should take about 5-7 hours to complete.

Feel free to contact us using the email address below if you need any guidance in completing this work, or any additional information about preparing for the A-Level chemistry course. There is a copy of the periodic table on the next page to help you complete this work, but you might also like investigating the extremely interesting and interactive version of the periodic table accessible via this link: <http://www.ptable.com>

The chemistry team would like to wish you a great summer holiday and we very much look forward to meeting you in September!

Rob Baker
Simon Colebrooke
Zoë Thorn

Chemistry Teacher
Course Team Leader Chemistry
Chemistry Teacher



The Periodic Table of the Elements

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)		
1 H hydrogen 1.0	2 He helium 4.0	3 Li lithium 6.9	4 Be beryllium 9.0	5 B boron 10.8	6 C carbon 12.0	7 N nitrogen 14.0	8 O oxygen 16.0	9 F fluorine 19.0	10 Ne neon 20.2
11 Na sodium 23.0	12 Mg magnesium 24.3	13 Al aluminium 27.0	14 Si silicon 28.1	15 P phosphorus 31.0	16 S sulfur 32.1	17 Cl chlorine 35.5	18 Ar argon 39.9	19 K potassium 39.1	20 Ca calcium 40.1
37 Rb rubidium 85.5	38 Sr strontium 87.6	39 Y yttrium 88.9	40 Zr zirconium 91.2	41 Nb niobium 92.9	42 Mo molybdenum 95.9	43 Tc technetium	44 Ru ruthenium 101.1	45 Rh rhodium 102.9	46 Pd palladium 106.4
55 Cs caesium 132.9	56 Ba barium 137.3	57-71 lanthanoids	72 Hf hafnium 178.5	73 Ta tantalum 180.9	74 W tungsten 183.8	75 Re rhenium 186.2	76 Os osmium 190.2	77 Ir iridium 192.2	78 Pt platinum 195.1
87 Fr francium	88 Ra radium	89-103 actinoids	104 Rf rutherfordium	105 Db dubnium	106 Sg seaborgium	107 Bh bohrium	108 Hs hassium	109 Mt meitnerium	110 Ds darmstadtium
119 Uu ununoctium	120 Uub unubium	121 Uut ununtrium	122 Uuq unquadium	123 Uuq unquadium	124 Uuq unquadium	125 Uuq unquadium	126 Uuq unquadium	127 Uuq unquadium	128 Uuq unquadium

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)		
57 La lanthanum 138.9	58 Ce cerium 140.1	59 Pr praseodymium 140.9	60 Nd neodymium 144.2	61 Pm promethium 144.9	62 Sm samarium 150.4	63 Eu europium 152.0	64 Gd gadolinium 157.2	65 Tb terbium 158.9	66 Dy dysprosium 162.5
89 Ac actinium 232.0	90 Th thorium 232.0	91 Pa protactinium	92 U uranium 238.1	93 Np neptunium	94 Pu plutonium	95 Am americium	96 Cm curium	97 Bk berkelium	98 Cf californium
101 Db dubnium	102 Sg seaborgium	103 Bh bohrium	104 Hs hassium	105 Mt meitnerium	106 Ds darmstadtium	107 Rg roentgenium	108 Cn copernicium	109 Fl flerovium	110 Lv livermorium
113 Nh nihonium	114 Fl flerovium	115 Mc moscovium	116 Lv livermorium	117 Ts tennessine	118 Og oganesson	119 Uue ununoctium	120 Uub unubium	121 Uut ununtrium	122 Uuq unquadium

Key
atomic number
Symbol
name
relative atomic mass

Task A: Multiple Choice

Name:

For each question there are four possible answers; **A, B, C** or **D**. For each question, circle the answer which you think is correct. You can find a copy of the periodic table at the following website:

<http://www.ptable.com>

Atoms, ions and sub-atomic particles

Table 1 shows the sub-atomic particles in different atoms and ions. The table includes an "unknown" atom / ion in the bottom row.

Particle	Proton number	Mass Number	Number of protons	Number of neutrons	Number of electrons
Mg	12	24	12	W	12
Mg ²⁺	X	24	12	12	10
Cl	17	35	17	Y	17
Cl ⁻	17	35	17	Z	18
Unknown	8	16	8	8	10


1. Which particles in Table 1 are ions?

- | | |
|---|--|
| <p>A Mg²⁺ and Cl⁻ only</p> <p>C Cl⁻ only</p> | <p>B Mg and Mg²⁺ only</p> <p>D Unknown, Mg²⁺ and Cl⁻ only</p> |
|---|--|


2. Select a row **A-D** from the options below that shows the correct values of **W, X, Y** and **Z** that could be used to complete **Table 1** above:

	Value of W	Value of X	Value of Y	Value of Z
A	11	10	18	18
B	12	14	17	18
C	12	12	18	18
D	12	12	18	17

3. The diagram below shows the electron arrangement in an atom of magnesium:



Which of these diagrams correctly shows the electron arrangement in the ion formed by magnesium **and** gives the correct charge on the ion?



Chemical Formulae

4. Look at the list of substances below;

P	N ₂	Q	C ₆ H ₁₂ O ₆	R	Ar
S	C ₈ H ₁₈	T	NH ₃		

Which statement is true?

- | | |
|--|---------------------------------------|
| A P and R are the only elements | C Substance T is made from 4 elements |
| B All the substances are composed of molecules | D Q contains more atoms than S |

5. The "Relative Formula Mass" allows chemists to compare the mass of different substances, e.g. the RFM of H₂O is 18 and the RFM of CO₂ is 44.


What is the Relative Formula Mass of Cu₂O?

- | | |
|--------|-------|
| A 95.5 | B 143 |
| C 66 | D 45 |

6. What is the Relative Formula Mass of $(\text{NH}_4)_2\text{SO}_4$?

- | | | | |
|---|-----|---|-----|
| A | 118 | B | 146 |
| C | 132 | D | 46 |

7. The picture shows molecules in liquid water. If the water is heated it will eventually boil and turn into a gas (steam). Which of the statements below are true about the formation of steam?



- W When the steam is formed some of the covalent bonds between H and O atoms are broken
- X The steam contains hydrogen and oxygen gas
- Y Forces between water molecules are broken but not the covalent bonds
- Z Steam is made of H_2O molecules

Select A-D to show the true statements:

- | | | | |
|---|------------------|---|-------------------------|
| A | Y and Z are true | B | All statements are true |
| C | W and X are true | D | Only Y is true |

Mathematics for Chemistry

10. An important equation in chemistry links the energy **E** of a photon of radiation to the frequency, **f**:

$$E = hf$$

In this equation **E** is the photon energy, **f** is the frequency and **h** is a number called "Planck's constant" and has a value of 6.63×10^{-34} .

If a photon has energy of 1.31×10^{-19} J, what is the frequency (do not worry about units)?

- | | | | |
|---|------------------------|---|------------------------|
| A | 1.98×10^{-16} | B | 8.69×10^{-53} |
| C | 0.198 | D | 1.98×10^{14} |

11. Which of the following numbers are shown to three significant figures?

- | | | | | | |
|---|---------|---|-------|---|--------------------|
| F | 0.1204 | G | 1.24 | H | 0.124 |
| I | 0.12 | J | 1.240 | K | 1.24×10^3 |
| L | 0.00124 | | | | |

- | | | | |
|---|---------------|---|--------------|
| A | G and I | B | G, H and J |
| C | G, H, K and L | D | All except F |

12. The most common unit for measuring volumes in chemistry is the "decimetre-cubed", given the symbol dm^3 . One dm^3 is commonly referred to as a litre and $1 \text{ dm}^3 = 1000 \text{ cm}^3$. If a chemist measures out 25.0 cm^3 of hydrochloric acid, what is this volume in dm^3 ?

- | | | | |
|---|----------------------|---|-----------------------|
| A | 0.025 dm^3 | B | $25,000 \text{ dm}^3$ |
| C | 40 dm^3 | D | 0.25 dm^3 |

The next two questions refer to the ideal gas equation, $PV = nRT$.

In this equation: P = pressure of the gas

V = volume of the gas

n = number of moles of gas (ie how many gas particles there are)

R = a constant called the "gas constant"

T = the temperature of the gas

13. A student needs to rearrange the ideal gas equation in order to calculate a value for **n**. Which is the correct rearrangement?





A $n = PVRT$

B $n = \frac{RT}{PV}$

C $n = \frac{PV}{RT}$








D $n = RTPV$


14. A chemist has a sample of an ideal gas at 25 °C. Without changing the temperature, the student increases the volume of the container the gas is stored in. Choose which graph best shows the effect of increasing the volume, **V**, on the pressure, **P**, of the gas:



TASK B: Balancing chemical equations

Balance the following equations by adding the correct number **in-front** of each chemical formula. You can assume that all the formulae are correct already.






Now practice turning the information below into balanced equations:

11. One molecule of chlorine (Cl_2) reacts with one molecule of bromine (Br_2) to form bromine chloride (BrCl).
Write a balanced equation for the reaction.

12. Two molecules of hydrogen sulphide (H_2S) react with one molecule of sulphur dioxide (SO_2) to form sulphur (usually just given the symbol S in equations) and water.


Finally, convert the diagrams shown below into balanced equations. Simplify the equations as much as possible:

13. The reaction of hydrogen with oxygen (write your equation beneath the boxes).




Balanced equation:

14. The decomposition of nitric (III) acid (write your equation beneath the boxes).




Balanced equation:

15. Hydrogen and bromine react together to form hydrogen bromide as shown by the balanced equation:



Use this balanced equation to complete the diagram below, showing the reaction:



TASK C: The “scale of chemistry”

Appreciating the relative sizes of things in chemistry is one of the big challenges of A-level. This task is intended to help you develop your understanding of that scale.

1. Research the size of the objects below. You may find the information recorded in a range of different distance units, but that does not matter, simply note the value you find. For some objects you may be able to estimate the size yourself and if so, simply write “estimate” in the source column.

Object	Size	Unit	Size in metres	Source of information
Palisade leaf cell				
SARS-Cov-2 Virus (virus causing Covid-19)				
Human hair width				
Nits (head louse egg)				
Gold atom				
Grain of salt				
e-coli bacteria				
Nucleus of a gold atom				
Dust mite				
Drop of water				
Human skin cell nucleus				
Red blood cell				
Diameter of proton				
Diamond in a piece of jewellery				
Haemoglobin molecule				
Snowflake				

2. Convert all of your findings into metres, so that they can be more readily compared. You might find the following relationships useful:

$$\text{Millimetre mm} = 1 \times 10^{-3} \text{ m}$$

$$\text{Micrometre } \mu\text{m} = 1 \times 10^{-6} \text{ m}$$

$$\text{Nanometre nm} = 1 \times 10^{-9} \text{ m}$$

$$\text{Angstrom } \text{\AA} = 1 \times 10^{-10} \text{ m}$$

$$\text{Picometre pm} = 1 \times 10^{-12} \text{ m}$$

$$\text{Femtometre fm} = 1 \times 10^{-15} \text{ m}$$

$$\text{Attometre am} = 1 \times 10^{-18} \text{ m}$$

3. Produce a PowerPoint (or equivalent alternative) that summarises your findings. Your PowerPoint should:

- Include an image of each object
- Include a table with the information from Q1 and Q2
- Separately to the table, list the objects in order of increasing size
- Show the size of each object in metres
- You should also include a slide showing the objects grouped according to whether they are macroscopic / microscopic / sub-microscopic**
- A slide which shows some interesting comparisons between one object and another, or one object and something everyday (for example – how many gold atoms could be laid end to end along a 1p coin).

** Macroscopic means that the object can be seen unaided with the naked eye. Microscopic means the object is too small to see with the naked eye, but can be seen using a microscope. For our purposes, we will assume that by "microscope" we mean a standard light microscope that can resolve objects as small as approximately 1×10^{-6} m in length. Sub-microscopic means objects that could not be seen using a normal light microscope, smaller than 1×10^{-6} m. This distinction is a bit approximate as light microscopes vary somewhat!

You will need to bring a printed copy of your PowerPoint to your first chemistry lesson to help with discussions (colour printing is not essential and you can put more than one slide on a page if necessary). We will give instructions for submitting the electronic version of your PowerPoint once college has started.